





|         |              |                                          |                            |  |  |
|---------|--------------|------------------------------------------|----------------------------|--|--|
| USED ON | SCALE<br>1:1 | TITLE<br>EL50 Level, Sensitivity 0.4mm/m | DRAWING NUMBER<br>EL50/0.4 |  |  |
|---------|--------------|------------------------------------------|----------------------------|--|--|

|       |           |      |
|-------|-----------|------|
| ISSUE | AMENDMENT | DATE |
|-------|-----------|------|

Note:  
 Red Line markings  
 Sensitivity, 0.4mm/m per 2mm division  
 Airbell just inside major lines @ 20°C  
 Vial is set with reference to bottom of level



Third Angle Projection

|                         |                                                      |                                                                    |                                              |                                                       |
|-------------------------|------------------------------------------------------|--------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------|
| FINISH<br>Black Anodise | TOLERANCES<br>UNLESS STATED<br>OTHERWISE<br>mm UNITS | <b>XX.</b> +/- 1.0<br><b>XX.X</b> +/- 0.25<br><b>XX.XX</b> +/- 0.1 | MATERIAL<br>Aluminium 5/8" sq. (AL6082 HE30) | <b>LEVEL DEVELOPMENTS</b><br>Croydon, Surrey, CRO 2DN |
|                         |                                                      |                                                                    | DRAWN BY<br>J.H.L                            |                                                       |